



Fittings & accessories for compressed air systems

lionpic.co.uk

Quick-Release Fittings p.6

PUB011

V.6 04/2017

EURO Type



PCL Type



8mm I/D

Push-In Fittings 4mm - 10mm tube p.2

7640



7657



7647



7631



4mm - 10mm O/D

BSP Fittings 1/8" - 1/2" p.4

3560



7611



3087



Accessories p.7



1353

Regulator



3638

Filter Regulator



3805

Lube Oil Drip Feed

Air Line Coalescent Moisture Filter



7017

2 Push-In Fittings

Push-In Fittings

Push-In fittings allow quick assembly of tubing without the need for tools. Tubing should be inserted up to the end stop to ensure it is inserted into the inside seal.

Check the tubing is held securely by pulling gently.

Male Fittings

Push-in connection of tubing and a male, M, threaded port.



7623	4mm / M5 M BSP	£2.64
7625	4mm / 1/8" M BSP	£1.87



7626	4mm / 1/8" M BSP	£2.54
7628	4mm / 1/4" M BSP	£1.94



7627	4mm / 1/4" M BSP	£1.94
7630	6mm / 1/8" M BSP	£2.04



7629	6mm / 1/8" M BSP	£2.11
2526	6mm / 1/4" M BSP	£2.54



7631	6mm / 1/4" M BSP	£2.15
7633	8mm / 1/8" M BSP	£2.43



7632	8mm / 1/8" M BSP	£2.43
7634	8mm / 1/4" M BSP	£2.43

Female Socket Fittings

Push-in connection for tubing to a female, F, threaded port.



7635	4mm / 1/4" F BSP	£2.99
2527	6mm / 1/4" F BSP	£2.54

Plug-in Reducers

Tubing reduced down to plug in a smaller diameter connector.



7643	4mm / 6mm M	£1.83
7644	4mm / 8mm M	£2.43
7645	4mm / 8mm M	£1.83

Equal Straight Connectors

Connects tubes of equal diameter.



7636	4mm / 4mm	£2.19
7637	6mm / 6mm	£2.41

Unequal Straight Connector

Connects tubes of different diameters.



7639	6mm / 4mm	£2.43
------	-----------	-------

Equal Y Connector

An equal 3-way, 6mm push-in connector.



7642	6mm / 6mm / 6mm	£1.83
------	-----------------	-------

Bulkhead Connectors

Connects tubing through a panel. Adjustable to suit panel thickness.



7638	4mm / 4mm	£4.09
2529	6mm / 6mm	£5.57

Equal T-Piece Connectors

Equal Tee Piece connectors for 3-way push-in connection.



7640	4mm / 4mm / 4mm	£3.81
2528	6mm / 6mm / 6mm	£3.70



7641	8mm / 8mm / 8mm	£3.81
------	-----------------	-------

Unequal T-Piece

The body is rotatable around the brass stud end.



7660 6mm / 6mm / 1/8" BSP M £4.73

Unequal T-Piece



7657 4mm / 4mm / M5 BSP M £6.02



7659 6mm / 6mm / 1/8" BSP M £4.64



7658 4mm / 4mm / 1/8" M BSP £4.64

Banjo Air Flow Controller

Helps regulate the speed of pneumatic cylinders and other devices.



7661 6mm / 1/2" M BSP £12.04

Male Stud Fixed Elbows

Push-in tubing connection at a 90° angle.



7647 4mm / M5 BSP M £6.24



7649 4mm / 1/4" BSP M £7.42



7652 6mm / 1/8" BSP M £6.60



7653 6mm / 1/4" BSP M £7.48



7655 8mm / 1/4" BSP M £7.48

Smooth Nylon Tubing

Natural coloured nylon tubing for push-in fittings. Hard wearing, resistant to abrasion and chemicals.



7680	Nylon tubing	4mm O/D	30m	£14.43
7685	"	6mm O/D	10m	£12.71
7688	"	8mm O/D	10m	£20.32
7552	"	10mm O/D	10m	£23.39
7553	"	12mm O/D	10m	£25.46

Male Stud Swivel Elbow

Body rotates around the brass stud end.



7646 4mm / M5 BSP M £3.01



7648 4mm / 1/8" BSP M £2.54



7651 6mm / 1/8" BSP M £2.99



7656 10mm / 1/8" BSP M £4.26



7654 8mm / 1/8" BSP M £3.23

Mini Valve

Lightweight three-way mini valve, with ports for 4mm push-in fittings.

Max pressure 10 bar.



7662 4mm / 4mm £23.48

4 Threaded Fittings

Unequal Connectors



7612 1/8" M / 1/4" F BSP £1.55



7613 1/8" M / 3/8" F BSP £3.81



7614 1/4" M / 3/8" F BSP £3.18

PTFE Sealing Tape

Polytetrafluoroethylene (PTFE) tape is used to create an airtight seal on thread joints.



1478 PTFE Sealing Tape 12mm x 12m £ 1.11

Reducing Bushes



7615 1/8" M / M5 F BSP £1.23



7616 1/4" M / 1/8" F BSP £1.23



7617 3/8" M / 1/8" F BSP £1.66



7618 3/8" M / 1/4" F BSP £1.51



7619 1/2" M / 1/4" F BSP £2.52

Equal Male Connector



7608 1/4" M / 1/4" M BSP £2.62

Unequal Male Connectors



7609 1/8" M / 1/4" M BSP £1.85



7610 1/8" M / 3/8" M BSP £2.41



7611 1/4" M / 3/8" M BSP £2.43

Equal Female Connector



2524 1/4" F / 1/4" F BSP £1.44

Unequal Female Connector



7620 1/8" F / 1/4" F BSP £2.02

BMBI PT Quiet Compressor

Oil free; listen before you buy

The Bambi PT range of direct-drive compressors offers low noise, from 54 dB(A). Oil-free, so no topping up.

- + Condor pressure switch, 10µ air filter and outlet pressure regulator and stainless steel braided pipework all fitted as standard. Runs off standard 13a socket.
- + Anti-corrosion internally coated air tank, for long life and ensures that all air is contamination free.
- + Motor cover provides user protection from hotter parts and gives perfect cooling air circulation.
- + Optional auto-drain.

9533 Bambi PT24 110 lpm £ 505.00

Read about more compressors on our website or in our current Lion Trade Catalogue.



Blanking Plugs

Plugs shut off the end of a circuit and are available in a variety of sizes.



7605 1/8" BSP M £0.92



3561 1/4" BSP M £1.16



7606 3/8" BSP M £1.35



7607 1/2" BSP M £2.24

Y Connectors

Three way connection between 1/4" BSP threads.



3087 1/4" BSP F / F / M £4.84



1683 1/4" BSP F / F / F £4.84

Air System Lube Oil

Air system lubrication is in two parts. The compressor itself takes compressor oil.

Not all framing equipment requires lubricated air. Check with us.

Special TELLUS oil for air systems. Set your lubricator so that it passes no more than one or two drips per hour. **Not for compressors.**



3767 Air system oil 50 ml £3.28

3768 " " " 250 ml £6.28

Drain your air compressor's tank weekly !

Unequal Elbow

1/4" BSP male to 1/4" BSP female.



3560 1/4" BSP M / F £3.55

Equal Male Elbow

1/4" BSP male to 1/4" BSP male.



7604 1/4" BSP M / M £4.47

Equal Female Elbow

1/4" BSP female to 1/4" BSP female.



3563 1/4" BSP F / F £3.68

Centre Leg Tee

Two 1/4" BSP female, with a 1/4" BSP male.



7602 1/4" BSP F / M / F £4.54

Equal Male T

Three-way connection of 1/4" BSP male.



7601 1/4" BSP M / M / M £4.69

Equal Female T

Three-way connection of 1/4" BSP female.



1477 1/4" BSP F / F / F £3.81

Unequal Male T

connects two offset male threads to a female port.



3425 1/4" BSP F / M / M £4.84

Offset Female Tee

Two 1/4" BSP female to 1/4" BSP male.



7603 1/4" BSP F / F / M £4.54

6 Quick Release Fittings - EURO Type

Euro and PCL Quick Release Fittings enable tools and airlines to be quickly and safely connected / disconnected.



9282

EURO Quick Release tail / 8mm I/D Hose

9282 EURO QR tail / 8mm hose £2.37



9284

EURO Quick Release tail / 1/4" F BSP

9284 EURO QR tail / 1/4" F BSP £2.37



9280

EURO Quick Release body / 1/4" Male BSP

9280 EURO QR body / 1/4" M BSP £11.29



9283

EURO Quick Release tail / 1/4" M BSP

9283 EURO QR tail / 1/4" M BSP £2.37



9285

EURO Quick Release body / 8mm Hose

9285 EURO QR body / 8mm hose £11.29



9281

EURO Quick Release body / 1/4" Female BSP

9281 EURO QR body / 1/4" F BSP £11.29

Quick Release Fittings - PCL Type

PCL Quick Release tail with 8mm male BSP hose fitting.



1364

1364 PCL QR Tail / 8mm hose £2.37



1362

1362 PCL QR Tail / 1/4" M BSP £1.96



1363

1363 PCL QR Tail / 1/4" F BSP £1.96



1360

PCL Quick Release body with 8mm hose tail connector.

1360 PCL QR Body / 8mm hose £11.98



1361

PCL Quick Release body with 1/4" female BSP thread.

1361 PCL QR Body / 1/4" F BSP £10.34

PCL SafeFlow

This has a two-stage self-venting release for safety. It eliminates any possibility of dangerous hose-whip. Best practice wherever compressed air tools are in use. Works with all PCL connectors. Made in UK.



Ask us about the PCL SafeFlow range and which will best suit your requirements.



3086

PCL Quick Release body with 1/4" M BSP.

3086 PCL QR Body / 1/4" M BSP £10.56

Air Silencers

Air Silencers help control the compressed air exhausted from the control valves, reducing the noise emitted.

Sintered Polyethylene



7663	1/8" M BSP	£4.60
7664	1/4" M BSP	£3.72

Plastic



7665	1/8" M BSP	£4.74
7666	1/4" M BSP	£6.00

Brass




7667	1/8" M BSP	£3.38
------	------------	-------

legris Female Ball Valve

Ball Valve for opening and closing air line circuits.



7668	1/4" F / F BSP	£8.00
------	----------------	-------



Hose tail connector with a female thread.

1356	8mm hose / 1/4" F BSP	£4.19
------	-----------------------	-------



Hose tail connector with a male thread. 40mm long.

1355	8mm hose / 1/4" M BSP	£2.86
------	-----------------------	-------



PCL Hose to hose connector. Used to join and repair hoses.

1357	8mm + 8mm hose	£2.60
------	----------------	-------



Equal Tee Tail Hose.

7621	8mm / 8mm / 8mm hose	£8.59
------	----------------------	-------



Re-coil nylon tubing with 1/4" BSP male swivel fitting at each end and is ready for use. 2.5m

1359	Re-Coil 1/4" M / M BSP	£19.78
------	------------------------	--------

Flexible Tubing 8mm I/D



1354	Tubing - 8mm I/D	10 metre coil	£14.75
------	------------------	---------------	--------

Worm Drive Hose Clips

Use for a temporary or semi-permanent connection of many types of hose or tubing.



1358	13 - 20mm	£0.95
------	-----------	-------

Steel O-Clips

O-Clips give a rigid connection for hoses and tubing. 12mm O/D.



7678	O-Clip 12mm	£1.00
------	-------------	-------

O-Clip Crimping Tool



Used to install Stepless Ear Clamp O-Clips. Side jaw design for use where space is restricted



9468	O-Clip Crimping Tool	£29.00
------	----------------------	--------

Mini Water Filter with Regulator and Gauge

Mini water filter to reduce moisture and contaminants from the air flow, with a regulator and gauge.



3638 Mini Water Filter / Regulator £95.00

Mini Regulator and Gauge



1353 Mini Regulator £53.75

legris Blow Gun

Air pressure reducing valve built-in. For clearing debris. Handy hanging hook and replaceable nozzle. 235mm o/a.



9211 LEGRIS Blow Gun £35.14

Lube Oil Drip Feed



3805 Lube Oil Drip Feed £46.52

Coalescent Moisture Filter

A coalescent moisture filter with pre-filter will remove 99.98% of oil and 90% of water.

The oil and water removed are retained in the filter and should be drained each week. We can advise on the correct component set and fitting procedure.



7017 Coalescent Moisture Filter £203.52

Blow Gun

You must use with Pressure Reducing Valve 7622. Puffer Blow Gun for cleaning debris.

Air pressure should only be 40 PSI. 260mm o/a.



2870 CEJN Blow Gun £19.08

Pressure Reducing Valve

Used on Blow Guns, such as 2870, to reduce the pressure to a safer 40 PSI. 17mm dia.



7622 1/4" BSP M / F £28.52