

# Material Safety Data Sheet

---

## Section 1 – Product & Company Identification

**Product Identifier:** Corner Closing Paste (CC Paste)

**Product Use:** Nail hole and corner filling paste

**Manufacturer's Name:**

Corner Closing Paste  
230 Enterprise Dr.  
Houma, LA 70360

**Emergency #** 985-226-3416

**Information #** 985-580-7991

---

## Section 2 – Hazardous Ingredients

Reportable Components	WT %	CAS #
crystalline silica	<5	14808-60-7
titanium white pigment	<1	13463-67-7

---

## Section 3 – Physical & Chemical Properties

**Boiling Range:** N/A

**Vapor Density:** Heavier than air

**Coating V.O.C.:** N/A

**Appearance and Odor:** Various colors, soft solid, low to no odor

**Evaporation Rate:** N/A

**Material V.O.C.:** N/A

---

## Section 4 – Fire and Explosion Hazard Data

**Flash Point:** not determined

**Extinguishing Media:** water or use extinguishing media appropriate for surrounding fire

**Special Firefighting Procedures:** wear appropriate personal protective equipment

**Unusual Fire and Explosion Hazards:** none known

**Upper Flammable Limit:** not determined

**Lower Flammable Limit:** not determined

**Auto Ignition:** N/A

**Flammability Classification:** N/A

**Rate of Burning:** N/A

---

## Section 5 – Reactivity Data

**Stability:** stable

**Incompatibility:** None known

**Conditions to avoid:** High temperatures cause decomposition, exposure to air causes product to dry

**Hazardous Polymerization:** None Known

**Hazardous Decomposition:** Above 800 degrees C – limestone may decompose to calcium oxide and carbon dioxide. Above 175 degrees C – polyvinyl acetate may decompose to H<sub>2</sub>O, CO<sub>2</sub>, CO, and acetic acid, could produce vinyl acetate monomers. Above 1450 degrees C – calcium oxide and sulfur dioxide.

---

## Section 6 – Health Hazard Data

**Inhalation:** No risk, this product is not intended to be sanded.

**Eyes:** In case of contact, do not rub or scratch your eyes. To prevent mechanical irritation, flush thoroughly with water for 15 minutes. If irritation persists, consult physician.

**Skin:** Wash with mild soap and water.

**Ingestion:** This product is not intended to be ingested or eaten, if gastric distress occurs, consult physician.

**Emergency and First Aid Procedures:** Contact your local poison control center for further health information.

---

## Section 7 – Precautions for Safe Handling & Use

**General Use:** Avoid contact with eyes. May stain skin and clothing, use gloves as needed. For skin contact, use soap and water.

**Storage:** Avoid freezing and higher than room temperatures. Keep tightly sealed following use.

**Disposal Methods:** Clean with water and mild soap if needed, dispose of paper towels in trash.

**Accidental Release Measures:** pick up spilled material with paper towel or clean rag, then dispose in trash.

**Other precautions:** Not for use by children.

---

## Section 8 – Control Measures

**Respiratory Protection:** None needed

**Ventilation:** None needed

**Protective Gloves:** wear gloves and protective clothing to prevent staining

**Eye protection:** None needed

---

## Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be written in our acknowledgement.

Prepared by: A. Lefevre

10/2013

# MATERIAL SAFETY DATA SHEET — 16 Sections

## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier <b>Corner Closing Paste</b>		[WHMIS Classification]	
Product Use <b>Nail hole and corner filling paste</b>			
Manufacturer's Name <b>Corner Closing Paste</b>		Supplier's Name <b>Lefevre's Art, LLC</b>	
Street Address <b>230 Enterprise Drive</b>		Street Address <b>230 Enterprise Drive</b>	
City <b>Houma</b>	Province	City <b>Houma</b>	Province
Postal Code <b>70360</b>	Emergency Telephone <b>985-226-3416</b>	Postal Code <b>70360</b>	Emergency Telephone <b>985-580-7991</b>
Date MSDS Prepared <b>10/7/13</b>	MSDS Prepared By <b>Angie Lefevre</b>		Phone Number <b>985-580-7991</b>

## SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Reportable Components ( <i>specific</i> )	%	CAS Number	LD <sub>50</sub> of Ingredient ( <i>specify species and route</i> )	LC <sub>50</sub> of Ingredient ( <i>specify species</i> )

## SECTION 3 — HAZARDS IDENTIFICATION

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Ingestion
[Emergency Overview]					
Avoid eye contact, flush with water if contact occurs. Clean skin with soap and water, not harmful to skin under normal use, gloves may be worn to avoid staining or prolonged exposure.					
Potential Health Effects					
May cause eye irritation if contact is made with eye. May cause staining of the skin or clothes. Not for oral consumption.					

## SECTION 4 — FIRST AID MEASURES

Skin Contact Cleanse with soap and water.
Eye Contact Flush eye with water.
Inhalation No risk for inhalation.
Ingestion This product is not intended to be ingested or eaten. If swallowed and gastric disturbance occurs, call physician.



### SECTION 5 — FIRE FIGHTING MEASURES

Flammable <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		If yes, under which conditions?	
Means of Extinction Water or use extinguishing media appropriate for surrounding fire.			
Flashpoint (° C) and Method Not Determined		Upper Flammable Limit (% by volume) Not Determined	Lower Flammable Limit (% by volume) Not Determined
Autoignition Temperature (°C) Not Applicable		Explosion Data — Sensitivity to Impact Not Applicable	Explosion Data — Sensitivity to Static Discharge Not Applicable
Hazardous Combustion Products Above 800 degrees C- limestone may decompose to calcium oxide and carbon dioxide. Above 175 degrees C- polyvinyl acetate may decompose to H2O, CO2, CO, & acetic acid, could produce vinyl acetate monomers. Above 1450 degrees C-decomposes to calcium oxide and sulfur dioxide.			
[NFPA]			

### SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures
Clean with soap and water. Safe to discard in trash.

### SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment
Keep airtight at all times to prevent drying of product, store in a cool dry environment.
Storage Requirements

### SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits <input type="checkbox"/> ACGIH TLV <input type="checkbox"/> OSHA PEL <input type="checkbox"/> Other (specify)
Specific Engineering Controls (such as ventilation, enclosed process) No exposure risks expected under normal conditions of use.
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input type="checkbox"/> Respirator <input type="checkbox"/> Eye <input type="checkbox"/> Footwear <input checked="" type="checkbox"/> Clothing <input type="checkbox"/> Other
If checked, please specify type Gloves and clothing should be worn to protect skin from possible staining from use of product.

### SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odour and Appearance	Odour Threshold (ppm)
Specific Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
Evaporation Rate	Boiling Point (° C)	Freezing Point (° C)
pH	Coefficient of Water/Oil Distribution	[Solubility in Water]

### SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, under which conditions?
---	--------------------------------

Incompatibility with Other Substances  Yes <input checked="" type="checkbox"/> No	If yes, which ones?
---	---------------------

--

--

Reactivity, and under what conditions?
--

Hazardous Decomposition Products
----------------------------------

### SECTION 11 — TOXICOLOGICAL INFORMATION

--

Effects of Acute Exposure
---------------------------

--

--

Effects of chronic exposure
-----------------------------

--

--

Irritancy of Product
----------------------

Skin sensitization	Respiratory sensitization
--------------------	---------------------------

Carcinogenicity-IARC	Carcinogenicity - ACGIH
----------------------	-------------------------

*Product Identifier- 5 -*

Reproductive toxicity	Teratogenicity
Embrototoxicity	Mutagenicity
Name of synergistic products/effects	

Blank form provided courtesy of [www.ehso.com/msdscreeate.php](http://www.ehso.com/msdscreeate.php)

*Please continue on reverse side*

SECTION 12 — ECOLOGICAL INFORMATION


[Aquatic Toxicity]
--------------------


Special Shipping Information Not a hazardous material per DOT shipping requirements. Not classified or regulated.

--	--

--	--

--	--

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste Disposal
----------------

SECTION 14 — TRANSPORT INFORMATION

SECTION 15 — REGULATORY INFORMATION

[WHMIS Classification]	[OSHA]
------------------------	--------

[SERA]	[TSCA]
--------	--------

*This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.*

SECTION 16 — OTHER INFORMATION


