

Technical Information

Grade: CRAQUELURE TOP COAT

Craquelure Step 2 is a water based product which is used as a decorative paint effect. It is used in conjunction with Applicraft Craquelure Step 1 to create a cracked appearance.

Properties:

APPEARANCE Flowing liquid paste – viscous liquid COLOUR Creamy Yellow to Brown
ODOUR Characteristic mild odor – no threshold SOLUBILITY Miscible with water Unlimited BOILING POINT °C over 100
FREEZING PINT Approx. 0 °C
RELATIVE DENSITY SG 1.15 - 2.0
VAPOUR DENSITY 0.62
VAPOUR PRESSURE 17.5mm Hg @ 20°C
VOC Less than 0.5%
VOLATILES 45 – 55 % / WT
AUTOIGNITION TEMP – Not applicable
FLASH POINT – Not applicable
OXIDIZING PROPERTIES – Not applicable

Application Techniques

All substrates should be conditioned to room temperature before bonding. They should not contain moisture.

Craquelure should not be used in areas exposed to moisture or extreme heat, unless suitably sealed.

Application is by brush to an average coverage of 8sq.metres to 500mls

Craquelure can be applied to most surfaces which should be prepared in the same manner required for water based paints.

It can be sponged off with a damp sponge using warm water.

Information given in this data is based on work of others and ourselves. It is believed to be reliable, but as the end use and application of this product is outside our control, customers must fully evaluate its suitability before embarking on commercial use. We are unable to accept consequential loss or damage however caused.

Material Health & Safety Data – Craquelure Top Coat

1) IDENTIFICATION & COMPANY

PRODUCT NAMES: Craquelure Step 2 Top Coat SIZES: 100ml, 125ml, 250ml, 500ml, 2.5L & 5Litre

PRODUCT DESCRIPTION: Water based Crackle Medium. Part 2 of a 2 step process

SUPPLIER: Applicraft Hillcrest, Guildford Road Ottershaw, Surrey KT16 0QL Tel: 01932 872572 e.mail info@applicraft.co.uk

2) CHEMICAL CONSTITUENTS

The ingredients in the formulation are a trade secret. All ingredients in the formula are non-hazardous

3) HAZARD IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation

4) FIRST AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5) FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable.

NFPA flammability hazard class 0 = insignificant

Flash point, explosive limit & hazards are not applicable.

Use fire-extinguishing media appropriate for surrounding materials.

6) ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wipe up spill with a cloth or absorb in vermiculite, dry sand or sawdust and place into containers. Wash spill area with water to clean. Do not contaminate water sources or sewer. Place in rubbish bin.

7) HANDLING & STORAGE

Store between 4 and 37 °C in a dry well ventilated area. Keep in original container.

8) PERSONAL PROTECTION / EXPOSURE CONTROLS

CLOTHING REQUIREMENTS

No specialized / protective clothing is required. Paint will adhere to and stain material. An apron or disposable clothing may be used to prevent damage to your clothing.

VENTILATION

General or local exhaust ventilation recommended when spraying. NIOSH approved respirator for mists and sprays. HAND PROTECTION

Gloves are not normally required for foreseeable conditions of use.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

No specific protective equipment noted, normal maintenance or repair equipment.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using product do not eat, drink or smoke.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Flowing liquid paste - viscous liquid COLOUR Creamy Yellow to Brown ODOUR Characteristic mild odor - no threshold SOLUBILITY Miscible with water Unlimited BOILING POINT °C over 100 FREEZING PINT Approx. 0 °C RELATIVE DENSITY SG 1.15 - 2.0 **VAPOUR DENSITY 0.62** VAPOUR PRESSURE 17.5mm Hg @ 20°C VOC Less than 0.5% **VOLATILES 45 - 55 % / WT** AUTOIGNITION TEMP - Not applicable FLASH POINT - Not applicable OXIDIZING PROPERTIES - Not applicable

STABILITY AND REACTIVITY

Inert Hydrocarbon polymers

NFPA Reactivity Class – 0 = Insignificant

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

None Known.

HAZARDOUS DECOMPOSITION PRODUCTS

Dried coating may burn - fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur Dioxide (SO2) and oxides of Nitrogen.

HAZARDOUS PÓLYMERIZATION

Will not occur.

11) TOXICOLOGICAL INFORMATION

GENERAL INFORMATION

The product is regarded as non-hazardous and for normal spillages on skin & clothing washing with soap and water is adequate. This product has low toxicity. Only large volumes may have adverse impact on human health. This product does not contain lead. SHORT TERM EFFECTS OF EXPOSURE

INHALATION - May cause irritation to the respiratory system.

INGESTION - May cause discomfort if swallowed.

SKIN CONTACT - Slightly irritating. EYE CONTACT - Irritating to eyes.

HEALTH WARNINGS - No specific health warnings noted.

ROUTE OF ENTRY - Inhalation. Skin and/or eye contact.

MEDICAL SYMPTOMS - Irritation of eyes and mucous membranes.

LONG TERM EFFECTS OF EXPOSURE

The product is regarded as non-hazardous and has no known chronic effects. No Carcinogenic, Mutagenic, or genetic effects established

12) ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13) DISPOSAL INFORMATION

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14) TRANSPORT INFORMATION

GENERAL Not regulated.
RAIL TRANSPORT NOTES Not Classified.
SEA TRANSPORT NOTES Not Classified.
AIR TRANSPORT NOTES Not Classified.

15) REGULATORY INFORMATION

RISK PHRASES
NC Not classified.
SAFETY PHRASES
NC Not classified.
UK REGULATORY REFERENCES
Chemicals (Hazard Information & Packaging) Regulations.
EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

These products have been tested in accordance with CMA Testing and Certification Laboratories specifications. Tested in accordance with EN71: part 3: 1994 with amendment A1: 2000 and AC: 2002 – Migration of certain elements (for requested test parts) – Heavy metal analysis was determined by ICP – AES,

16) OTHER INFORMATION

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process.

Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

29/05/2015